

Hutton Communications, Inc.
2006 GSA Pricelist

Dealer	SIN	Mfr Name	Mfr Part Number	Product Description	GSA Price	Prod Point
Hutton	132-8	Anritsu	48258	Soft Carrying Case for "C & B-series"	\$63.36	US
Hutton	132-8	Anritsu	61382	Soft Carrying Case	\$69.71	US
Hutton	132-8	Anritsu	61382	Soft Carrying Case	\$69.71	US
Hutton	132-8	Anritsu	61532	Antenna Kit (Consists of: 2000-1030, 2000-1031, 2000-1032, 2000-1200, 2000-1035)	\$260.25	US
Hutton	132-8	Anritsu	61532	Antenna Kit (Consists of: 2000-1030, 2000-1031, 2000-1032, 2000-1200, 2000-1035)	\$260.25	US
Hutton	132-8	Anritsu	61532	Antenna Kit (Consists of: 2000-1030, 2000-1031, 2000-1032, 2000-1200, 2000-1035)	\$260.25	US
Hutton	132-8	Anritsu	61534	CW Signal Generator Kit	\$1,068.89	US
Hutton	132-8	Anritsu	61534	CW Signal Generator Kit	\$1,068.89	US
Hutton	132-8	Anritsu	64343	Tilt Bail Kit for the MS2721A	\$28.56	US
Hutton	132-8	Anritsu	1015-54	Magnet Mount GPS Antenna with 15 feet cable	\$920.18	US
Hutton	132-8	Anritsu	1015-55	Antenna Kit (Consists of: 2000-1030, 2000-1031, 2000-1032, 2000-1200, 2000-1035)	\$920.18	US
Hutton	132-8	Anritsu	1030-105	Bandpass Filter, 0.41 dB loss, 890-915 MHz Band, N(m) - SMA (f), 50 Ohm	\$464.74	US
Hutton	132-8	Anritsu	1030-106	Bandpass Filter, 0.34 dB loss, 1710-1790 MHz Band, N(m) - SMA (f), 50 Ohm	\$464.74	US
Hutton	132-8	Anritsu	1030-107	Bandpass Filter, 0.41 dB loss, 1910-1990 MHz Band, N(m) - SMA (f), 50 Ohm	\$464.74	US
Hutton	132-8	Anritsu	1030-86	Bandpass Filter, 1.7 dB loss, 806-869 MHz, N(m) - SMA (f), 50 Ohm	\$487.41	US
Hutton	132-8	Anritsu	1030-87	Bandpass Filter, 1.7 dB loss, 902-960 MHz, N(m) to SMA (f), 50 Ohm	\$487.41	US
Hutton	132-8	Anritsu	1030-88	Bandpass Filter, 1.8 dB loss, 1.85-1.99 GHz N(m) - SMA (f), 50 Ohm	\$487.41	US
Hutton	132-8	Anritsu	1030-89	Bandpass Filter, 1.4 dB loss, 2.4-2.5 GHz, N(m) - SMA (f), 50 Ohm	\$487.41	US
Hutton	132-8	Anritsu	10580-00060	Site Master User's Guide (for Models S331C, S114C)	\$22.67	US
Hutton	132-8	Anritsu	10580-00061	Site Master Programming Manual (for Models: S113C, S114C)	\$22.67	US
Hutton	132-8	Anritsu	10580-00062	Site Master Maintenance Manual (for S113C & S331C)	\$45.34	US
Hutton	132-8	Anritsu	10580-00065	Site Master User's Guide (for Model S251C)	\$22.67	US
Hutton	132-8	Anritsu	10580-00066	Site Master Programming Manual (for Model: S251C)	\$22.67	US
Hutton	132-8	Anritsu	10580-00067	Site Master Maintenance Manual (for Model S251C)	\$45.34	US
Hutton	132-8	Anritsu	10580-00068	Site Master Maintenance Manual (for S114C & S332C)	\$45.34	US
Hutton	132-8	Anritsu	10580-00071	Programming Manual, Handheld Spectrum Analyzer, Model MS2711E	\$24.37	US
Hutton	132-8	Anritsu	10580-00072	Maintenance Manual, Handheld Spectrum Analyzer, Model MS2711E	\$48.74	US
Hutton	132-8	Anritsu	10580-00074	User's Guide, Handheld Spectrum Analyzer, Model MS2711B	\$24.37	US
Hutton	132-8	Anritsu	10580-00079	Site Master User's Guide (for Models S331D, S332D)	\$22.67	US
Hutton	132-8	Anritsu	10580-00089	Cell Master User's Guide (for Model MT8212B)	\$23.80	US
Hutton	132-8	Anritsu	10580-00095	Cell Master Maintenance Manual (for model MT8212A)	\$48.74	US
Hutton	132-8	Anritsu	10580-00100	Site Master Programming Manual (for Models: S331D, S332D)	\$22.67	US
Hutton	132-8	Anritsu	10580-00101	Site Master Maintenance Manual (for S331D)	\$45.34	US
Hutton	132-8	Anritsu	10580-00102	Site Master Maintenance Manual (for S332D)	\$45.34	US
Hutton	132-8	Anritsu	10580-00103	User's Guide, Handheld Spectrum Analyzer, Model MS2712A	\$24.37	US
Hutton	132-8	Anritsu	10580-00106	Cell Master Programming Manual (for model MT8212B)	\$23.80	US
Hutton	132-8	Anritsu	10580-00125	Site Master User's Guide (for Model MT8220A)	\$23.80	US
Hutton	132-8	Anritsu	10680-00001	Site Master User's Guide (for Models S810D & S820D)	\$24.37	US
Hutton	132-8	Anritsu	10680-00002	Site Master Programming Manual (for Models S810D & S820D)	\$24.37	US
Hutton	132-8	Anritsu	1091-172	Adapter, DC to 1.3 GHz, N(m) - BNC(f), 50 Ohm,	\$82.86	US
Hutton	132-8	Anritsu	1091-26	Adapter, DC to 18 GHz, N(m) - SMA(m), 50 Ohm,	\$116.98	US
Hutton	132-8	Anritsu	1091-27	Adapter, DC to 18 GHz, N(m)-SMA(f), 50 Ohm	\$116.98	US
Hutton	132-8	Anritsu	1091-315	Adapter, TNC(m) to N(f), 18 GHz, 50 Ohm	\$278.84	US
Hutton	132-8	Anritsu	1091-317	Adapter, TNC(m) to SMA(f), 18 GHz, 50 Ohm	\$139.42	US
Hutton	132-8	Anritsu	1091-318	Adapter, TNC(m) to SMA(m), 18 GHz, 50 Ohm	\$139.42	US
Hutton	132-8	Anritsu	1091-323	Adapter, TNC(m) to TNC(f), 18 GHz, 50 Ohm	\$278.84	US
Hutton	132-8	Anritsu	1091-324	Adapter, TNC(f) to N(m), 18 GHz, 50 Ohm	\$278.84	US
Hutton	132-8	Anritsu	1091-325	Adapter, TNC(m) to N(m), 18 GHz, 50 Ohm	\$278.84	US
Hutton	132-8	Anritsu	1091-326	Adapter, TNC(m) to TNC(m), 18 GHz, 50 Ohm	\$278.84	US
Hutton	132-8	Anritsu	1091-53	Transit Case	\$697.10	US
Hutton	132-8	Anritsu	1091-54	CW Signal Generator Kit	\$697.10	US
Hutton	132-8	Anritsu	1091-55	Precision Open, TNC(f), 18 GHz, 50 Ohm	\$697.10	US
Hutton	132-8	Anritsu	1091-56	Precision Short, TNC(f), 18 GHz, 50 Ohm	\$697.10	US
Hutton	132-8	Anritsu	1091-80	Adapter, DC to 18 GHz, 50 Ohm, N(f)-SMA(m)	\$116.98	US
Hutton	132-8	Anritsu	1091-81	Adapter, DC to 18 GHz, 50 Ohm, N(f)-SMA(f)	\$116.98	US
Hutton	132-8	Anritsu	12N50-75B	Matching Pad, DC to 3000 MHz, 50 Ohm N(m) to 75 Ohm N(f)	\$463.04	US
Hutton	132-8	Anritsu	15KKF50-1.5A	Test Port Extension Cable, Armored, 1.5 meter, DC to 26.5 GHz, 50 Ohm, K(m) to K(f)	\$630.23	US
Hutton	132-8	Anritsu	15ND50-1.5C	Test Port Ext. Cable, 3.5 GHz, 1.5 meters, N(m) to 7/16 DIN(m)	\$511.78	US
Hutton	132-8	Anritsu	15NDF50-1.5C	Test Port Ext. Cable, 3.5 GHz, 1.5 meters, N(m) to 7/16 DIN(f)	\$511.78	US
Hutton	132-8	Anritsu	15NN50-1.5C	Test Port Ext. Cable, 6 GHz, 1.5 meters, N(m) to N(m)	\$307.07	US
Hutton	132-8	Anritsu	15NN50-3.0C	Test Port Ext. Cable, 6 GHz, 3.0 meters, N(m) to N(m)	\$419.17	US
Hutton	132-8	Anritsu	15NN50-5.0C	Test Port Ext. Cable, 6 GHz, 5.0 meters, N(m) to N(m)	\$565.39	US
Hutton	132-8	Anritsu	15NNF50-1.5B	Test Port Extension Cable, Armored, 1.5 meters, DC to 18 GHz, N(m) - N(f), 50 Ohm	\$535.01	US
Hutton	132-8	Anritsu	15NNF50-1.5C	Test Port Extension Cable, Armored, 1.5 meters, DC to 6.0 GHz, N(m) - N(f), 50 Ohm	\$307.07	US
Hutton	132-8	Anritsu	15NNF50-3.0C	Test Port Extension Cable, Armored, 3.0 meters, DC to 6.0 GHz, N(m) - N(f), 50 Ohm	\$419.17	US
Hutton	132-8	Anritsu	15NNF50-5.0C	Test Port Extension Cable, Armored, 5.0 meters, DC to 6.0 GHz, N(m) - N(f), 50 Ohm	\$565.39	US
Hutton	132-8	Anritsu	15RKKF50-1.5A	Test Port Extension Cable, Armored, 1.5 meter, DC to 26.5 GHz, Ruggedized K(m) to K(f), 50 Ohm	\$748.11	US
Hutton	132-8	Anritsu	1N50C	Limitter, N(m) to N(f), 50 Ohm, 10 MHz to 18 GHz	\$706.74	US
Hutton	132-8	Anritsu	2000-1029	Battery Charger, NiMH, w/ Universal Power Supply	\$385.05	US
Hutton	132-8	Anritsu	2000-1030	Portable Antenna, 1.71 to 1.88 GHz, SMA (m), 50 Ohm	\$43.87	US
Hutton	132-8	Anritsu	2000-1031	Portable Antenna, 1.85 to 1.99 GHz, SMA (m), 50 Ohm	\$43.87	US
Hutton	132-8	Anritsu	2000-1032	Portable Antenna, 2.4 to 2.5 GHz, SMA (m), 50 Ohm	\$40.81	US
Hutton	132-8	Anritsu	2000-1035	Portable Antenna, 902-960 MHz, SMA (m), 50 Ohm	\$43.87	US

Hutton Communications, Inc.
2006 GSA Pricelist

Dealer	SIN	Mfr Name	Mfr Part Number	Product Description	GSA Price	Prod Point
Hutton	132-8	Anritsu	2000-1200	Portable Antenna, 806-869 MHz, SMA (m), 50 Ohm	\$43.87	US
Hutton	132-8	Anritsu	2000-1214	HP DeskJet Printer, Model 450: Includes printer cable, 2000-1216 black print cartridge, and U.S. power cord. Also includes 2000-1229 cable adapter for Lightning, or 2000-753 printer cable and 1091-310 cable adapter for Site Master and Handheld. No additio	\$662.87	US
Hutton	132-8	Anritsu	2000-1216	Black Print Cartridge for the Portable HP DeskJet 450	\$58.49	US
Hutton	132-8	Anritsu	2000-1217	Rechargeable battery for the Portable HP DeskJet 450	\$116.98	US
Hutton	132-8	Anritsu	2000-1358	Compact Flash Card, 64 MB	\$77.98	US
Hutton	132-8	Anritsu	2000-1359	Battery Charger, NiMH, without Universal Power Supply	\$385.05	US
Hutton	132-8	Anritsu	2000-1360	USB A - Mini-B Cable, 6' (MS2721A)	\$14.62	US
Hutton	132-8	Anritsu	2000-1361	Antenna, 5725 to 5825 MHz, SMA male connector	\$73.11	US
Hutton	132-8	Anritsu	2000-1371	Ethernet Cable, 7' (MS2721A)	\$8.77	US
Hutton	132-8	Anritsu	2000-1374	Battery Charger, OEM Li-ION (MS2721A)	\$731.11	US
Hutton	132-8	Anritsu	2000-1410	Magnet Mount GPS Antenna with 15 feet cable	\$69.71	US
Hutton	132-8	Anritsu	2000-1410	Magnet Mount GPS Antenna with 15 feet cable	\$69.71	US
Hutton	132-8	Anritsu	2000-1411	Portable YAGI Antenna, 822-900 MHz, N(f), 10 dBd	\$284.42	US
Hutton	132-8	Anritsu	2000-1411	Portable YAGI Antenna, 822-900 MHz, N(f), 10 dBd	\$284.42	US
Hutton	132-8	Anritsu	2000-1412	Portable YAGI Antenna, 885-975 MHz, N(f), 10 dBd	\$257.46	US
Hutton	132-8	Anritsu	2000-1412	Portable YAGI Antenna, 885-975 MHz, N(f), 10 dBd	\$257.46	US
Hutton	132-8	Anritsu	2000-1413	Portable YAGI Antenna, 1710-1880 MHz, N(f), 10 dBd	\$285.35	US
Hutton	132-8	Anritsu	2000-1413	Portable YAGI Antenna, 1710-1880 MHz, N(f), 10 dBd	\$285.35	US
Hutton	132-8	Anritsu	2000-1414	Portable YAGI Antenna, 1850-1990 MHz, N(f), 9.3 dBd	\$229.58	US
Hutton	132-8	Anritsu	2000-1414	Portable YAGI Antenna, 1850-1990 MHz, N(f), 9.3 dBd	\$229.58	US
Hutton	132-8	Anritsu	2000-1415	Portable YAGI Antenna, 2400-2500 MHz, N(f), 10 dBd	\$339.26	US
Hutton	132-8	Anritsu	2000-1415	Portable YAGI Antenna, 2400-2500 MHz, N(f), 10 dBd	\$339.26	US
Hutton	132-8	Anritsu	2000-1416	Portable YAGI Antenna, 1920-2230 MHz, N(f), 10 dBd	\$291.85	US
Hutton	132-8	Anritsu	2000-1416	Portable YAGI Antenna, 1920-2230 MHz, N(f), 10 dBd	\$291.85	US
Hutton	132-8	Anritsu	2000-1473	Portable Antenna, 870-960 MHz, SMA(m), 50 Ohm	\$41.83	US
Hutton	132-8	Anritsu	2000-1474	Portable Antenna, 1.71 to 1.88 GHz, SMA (m), 50 Ohm	\$41.83	US
Hutton	132-8	Anritsu	2000-1474	Portable Antenna, 1.71 to 1.88 GHz, SMA (m), 50 Ohm	\$41.83	US
Hutton	132-8	Anritsu	2000-1475	Portable Antenna, 1920 to 1980 MHz and 2110 to 2170 MHz, SMA (m), 50 Ohm	\$69.71	US
Hutton	132-8	Anritsu	2000-753	Serial-to-Parallel Converter Cable	\$131.60	US
Hutton	132-8	Anritsu	2000-767	7/16 (m) DC to 4.0 GHz Precision Open/Short/Load, 50 Ohm	\$658.00	US
Hutton	132-8	Anritsu	2000-768	7/16 (f) DC to 4.0 GHz Precision Open/Short/Load, 50 Ohm	\$658.00	US
Hutton	132-8	Anritsu	22K50	Open/Short, DC to 40 GHz, K(m), 50 Ohm	\$317.38	US
Hutton	132-8	Anritsu	22KF50	Open/Short, DC to 40 GHz, K(f), 50 Ohm	\$340.05	US
Hutton	132-8	Anritsu	22N50	Open/Short, DC to 18 GHz, N(m), 50 Ohm	\$194.96	US
Hutton	132-8	Anritsu	22N75	Open/Short, DC to 3 GHz, N(m), 75 Ohm	\$244.84	US
Hutton	132-8	Anritsu	22NF50	Open/Short, DC to 18 GHz, N(f), 50 Ohm	\$219.33	US
Hutton	132-8	Anritsu	22NF75	Open/Short, DC to 3 GHz, N(f), 75 Ohm	\$226.70	US
Hutton	132-8	Anritsu	2300-347	Software Tools	\$73.11	US
Hutton	132-8	Anritsu	2300-472	SitePlanner Annual Maintenance	\$4,869.18	US
Hutton	132-8	Anritsu	2300-473	SitePlanner 2000 (initial 1 year license)	\$19,491.35	US
Hutton	132-8	Anritsu	2300-474	InFielder PDA Annual Maintenance	\$969.94	US
Hutton	132-8	Anritsu	2300-475	InFielder PDA (initial 1 year license)	\$4,869.18	US
Hutton	132-8	Anritsu	2300-498	Master Software Tools CD/ROM	\$73.11	US
Hutton	132-8	Anritsu	23CMR112	1/8 Offset Short, CMR, 7.05 to 10.00 GHz	\$208.56	US
Hutton	132-8	Anritsu	23CMR137	1/8 Offset Short, CMR, 5.85 to 8.20 GHz	\$226.70	US
Hutton	132-8	Anritsu	23CMR159	1/8 Offset Short, CMR, 4.90 to 7.05 GHz	\$272.04	US
Hutton	132-8	Anritsu	23CMR187	1/8 Offset Short, CMR, 3.95 to 5.85 GHz	\$290.18	US
Hutton	132-8	Anritsu	23CMR229	1/8 Offset Short, CMR, 3.30 to 4.90 GHz	\$308.31	US
Hutton	132-8	Anritsu	23CMR90	1/8 Offset Short, CMR, 8.20 to 12.40 GHz	\$163.22	US
Hutton	132-8	Anritsu	23UA112	1/8 Offset Short, US, 7.05 to 10.00 GHz	\$208.56	US
Hutton	132-8	Anritsu	23UA137	1/8 Offset Short, US, 5.85 to 8.20 GHz	\$226.70	US
Hutton	132-8	Anritsu	23UA159	1/8 Offset Short, US, 4.90 to 7.05 GHz	\$272.04	US
Hutton	132-8	Anritsu	23UA187	1/8 Offset Short, US, 3.95 to 5.85 GHz	\$290.18	US
Hutton	132-8	Anritsu	23UA229	1/8 Offset Short, US, 3.30 to 4.90 GHz	\$308.31	US
Hutton	132-8	Anritsu	23UA42	1/8 Offset Short, US, 17.00 to 26.5 GHz	\$163.22	US
Hutton	132-8	Anritsu	23UA62	1/8 Offset Short, US, 12.40 to 18.0 GHz	\$126.95	US
Hutton	132-8	Anritsu	23UA75	1/8 Offset Short, US, 10.00 to 15.00 GHz	\$163.22	US
Hutton	132-8	Anritsu	23UA90	1/8 Offset Short, US, 8.20 to 12.40 GHz	\$163.22	US
Hutton	132-8	Anritsu	23UER100	1/8 Offset Short, UER, 8.20 to 12.40 GHz	\$163.22	US
Hutton	132-8	Anritsu	23UER40	1/8 Offset Short, UER, 3.30 to 4.90 GHz	\$308.31	US
Hutton	132-8	Anritsu	23UER48	1/8 Offset Short, UER, 3.95 to 5.85 GHz	\$290.18	US
Hutton	132-8	Anritsu	23UER58	1/8 Offset Short, UER, 4.90 to 7.05 GHz	\$272.04	US
Hutton	132-8	Anritsu	23UER70	1/8 Offset Short, UER, 5.85 to 8.20 GHz	\$226.70	US
Hutton	132-8	Anritsu	23UER84	1/8 Offset Short, UER, 7.05 to 10.00 GHz	\$208.56	US
Hutton	132-8	Anritsu	23UM100	1/8 Offset Short, Metric, 8.20 to 12.40 GHz	\$163.22	US
Hutton	132-8	Anritsu	23UM120	1/8 Offset Short, Metric, 10.00 to 15.00 GHz	\$163.22	US
Hutton	132-8	Anritsu	23UM140	1/8 Offset Short, Metric, 12.40 to 18.0 GHz	\$126.95	US
Hutton	132-8	Anritsu	23UM220	1/8 Offset Short, Metric, 17.00 to 26.5 GHz	\$163.22	US
Hutton	132-8	Anritsu	23UM40	1/8 Offset Short, Metric, 3.30 to 4.90 GHz	\$308.31	US
Hutton	132-8	Anritsu	23UM48	1/8 Offset Short, Metric, 3.95 to 5.85 GHz	\$290.18	US
Hutton	132-8	Anritsu	23UM58	1/8 Offset Short, Metric, 4.90 to 7.05 GHz	\$272.04	US

Hutton Communications, Inc.
2006 GSA Pricelist

Dealer	SIN	Mfr Name	Mfr Part Number	Product Description	GSA Price	Prod Point
Hutton	132-8	Anritsu	23UM70	1/8 Offset Short, Metric, 5.85 to 8.20 GHz	\$226.70	US
Hutton	132-8	Anritsu	23UM84	1/8 Offset Short, Metric, 7.05 to 10.00 GHz	\$208.56	US
Hutton	132-8	Anritsu	24CMR112	3/8 Offset Short, CMR, 7.05 to 10.00 GHz	\$208.56	US
Hutton	132-8	Anritsu	24CMR137	3/8 Offset Short, CMR, 5.85 to 8.20 GHz	\$226.70	US
Hutton	132-8	Anritsu	24CMR159	3/8 Offset Short, CMR, 4.90 to 7.05 GHz	\$272.04	US
Hutton	132-8	Anritsu	24CMR187	3/8 Offset Short, CMR, 3.95 to 5.85 GHz	\$290.18	US
Hutton	132-8	Anritsu	24CMR229	3/8 Offset Short, CMR, 3.30 to 4.90 GHz	\$308.31	US
Hutton	132-8	Anritsu	24CMR90	3/8 Offset Short, CMR, 8.20 to 12.40 GHz	\$163.22	US
Hutton	132-8	Anritsu	24UA112	3/8 Offset Short, US, 7.05 to 10.00 GHz	\$208.56	US
Hutton	132-8	Anritsu	24UA137	3/8 Offset Short, US, 5.85 to 8.20 GHz	\$226.70	US
Hutton	132-8	Anritsu	24UA159	3/8 Offset Short, US, 4.90 to 7.05 GHz	\$272.04	US
Hutton	132-8	Anritsu	24UA187	3/8 Offset Short, US, 3.95 to 5.85 GHz	\$290.18	US
Hutton	132-8	Anritsu	24UA229	3/8 Offset Short, US, 3.30 to 4.90 GHz	\$308.31	US
Hutton	132-8	Anritsu	24UA42	3/8 Offset Short, US, 17.00 to 26.5 GHz	\$163.22	US
Hutton	132-8	Anritsu	24UA62	3/8 Offset Short, US, 12.40 to 18.0 GHz	\$126.95	US
Hutton	132-8	Anritsu	24UA75	3/8 Offset Short, US, 10.00 to 15.00 GHz	\$163.22	US
Hutton	132-8	Anritsu	24UA90	3/8 Offset Short, US, 8.20 to 12.40 GHz	\$163.22	US
Hutton	132-8	Anritsu	24UER100	3/8 Offset Short, UER, 8.20 to 12.40 GHz	\$163.22	US
Hutton	132-8	Anritsu	24UER40	3/8 Offset Short, UER, 3.30 to 4.90 GHz	\$308.31	US
Hutton	132-8	Anritsu	24UER48	3/8 Offset Short, UER, 3.95 to 5.85 GHz	\$290.18	US
Hutton	132-8	Anritsu	24UER58	3/8 Offset Short, UER, 4.90 to 7.05 GHz	\$272.04	US
Hutton	132-8	Anritsu	24UER70	3/8 Offset Short, UER, 5.85 to 8.20 GHz	\$226.70	US
Hutton	132-8	Anritsu	24UER84	3/8 Offset Short, UER, 7.05 to 10.00 GHz	\$208.56	US
Hutton	132-8	Anritsu	24UM100	3/8 Offset Short, Metric, 8.20 to 12.40 GHz	\$163.22	US
Hutton	132-8	Anritsu	24UM120	3/8 Offset Short, Metric, 10.00 to 15.00 GHz	\$163.22	US
Hutton	132-8	Anritsu	24UM140	3/8 Offset Short, Metric, 12.40 to 18.0 GHz	\$126.95	US
Hutton	132-8	Anritsu	24UM220	3/8 Offset Short, Metric, 17.00 to 26.5 GHz	\$163.22	US
Hutton	132-8	Anritsu	24UM40	3/8 Offset Short, Metric, 3.30 to 4.90 GHz	\$308.31	US
Hutton	132-8	Anritsu	24UM48	3/8 Offset Short, Metric, 3.95 to 5.85 GHz	\$290.18	US
Hutton	132-8	Anritsu	24UM58	3/8 Offset Short, Metric, 4.90 to 7.05 GHz	\$272.04	US
Hutton	132-8	Anritsu	24UM70	3/8 Offset Short, Metric, 5.85 to 8.20 GHz	\$226.70	US
Hutton	132-8	Anritsu	24UM84	3/8 Offset Short, Metric, 7.05 to 10.00 GHz	\$208.56	US
Hutton	132-8	Anritsu	26CMR112	Precision Load, CMR, 7.05 to 10.00 GHz	\$417.13	US
Hutton	132-8	Anritsu	26CMR137	Precision Load, CMR, 5.85 to 8.20 GHz	\$444.33	US
Hutton	132-8	Anritsu	26CMR159	Precision Load, CMR, 4.90 to 7.05 GHz	\$462.47	US
Hutton	132-8	Anritsu	26CMR187	Precision Load, CMR, 3.95 to 5.85 GHz	\$480.60	US
Hutton	132-8	Anritsu	26CMR229	Precision Load, CMR, 3.30 to 4.90 GHz	\$525.94	US
Hutton	132-8	Anritsu	26CMR90	Precision Load, CMR, 8.20 to 12.40 GHz	\$398.99	US
Hutton	132-8	Anritsu	26UA112	Precision Load, US, 7.05 to 10.00 GHz	\$417.13	US
Hutton	132-8	Anritsu	26UA137	Precision Load, US, 5.85 to 8.20 GHz	\$444.33	US
Hutton	132-8	Anritsu	26UA159	Precision Load, US, 4.90 to 7.05 GHz	\$462.47	US
Hutton	132-8	Anritsu	26UA187	Precision Load, US, 3.95 to 5.85 GHz	\$480.60	US
Hutton	132-8	Anritsu	26UA229	Precision Load, US, 3.30 to 4.90 GHz	\$525.94	US
Hutton	132-8	Anritsu	26UA42	Precision Load, US, 17.00 to 26.5 GHz	\$489.67	US
Hutton	132-8	Anritsu	26UA62	Precision Load, US, 12.40 to 18.0 GHz	\$362.72	US
Hutton	132-8	Anritsu	26UA75	Precision Load, US, 10.00 to 15.00 GHz	\$380.86	US
Hutton	132-8	Anritsu	26UA90	Precision Load, US, 8.20 to 12.40 GHz	\$398.99	US
Hutton	132-8	Anritsu	26UER100	Precision Load, UER, 8.20 to 12.40 GHz	\$398.99	US
Hutton	132-8	Anritsu	26UER40	Precision Load, UER, 3.30 to 4.90 GHz	\$525.94	US
Hutton	132-8	Anritsu	26UER48	Precision Load, UER, 3.95 to 5.85 GHz	\$480.60	US
Hutton	132-8	Anritsu	26UER58	Precision Load, UER, 4.90 to 7.05 GHz	\$462.47	US
Hutton	132-8	Anritsu	26UER70	Precision Load, UER, 5.85 to 8.20 GHz	\$444.33	US
Hutton	132-8	Anritsu	26UER84	Precision Load, UER, 7.05 to 10.00 GHz	\$417.13	US
Hutton	132-8	Anritsu	26UM100	Precision Load, Metric, 8.20 to 12.40 GHz	\$398.99	US
Hutton	132-8	Anritsu	26UM120	Precision Load, Metric, 10.00 to 15.00 GHz	\$380.86	US
Hutton	132-8	Anritsu	26UM140	Precision Load, Metric, 12.40 to 18.0 GHz	\$362.72	US
Hutton	132-8	Anritsu	26UM220	Precision Load, Metric, 17.00 to 26.5 GHz	\$489.67	US
Hutton	132-8	Anritsu	26UM40	Precision Load, Metric, 3.30 to 4.90 GHz	\$525.94	US
Hutton	132-8	Anritsu	26UM48	Precision Load, Metric, 3.95 to 5.85 GHz	\$480.60	US
Hutton	132-8	Anritsu	26UM58	Precision Load, Metric, 4.90 to 7.05 GHz	\$462.47	US
Hutton	132-8	Anritsu	26UM70	Precision Load, Metric, 5.85 to 8.20 GHz	\$444.33	US
Hutton	132-8	Anritsu	26UM84	Precision Load, Metric, 7.05 to 10.00 GHz	\$417.13	US
Hutton	132-8	Anritsu	28K50	Precision Termination, DC to 40 GHz, K(m), 50 Ohm	\$612.09	US
Hutton	132-8	Anritsu	28KF50	Precision Termination, DC to 40 GHz, K(f), 50 Ohm	\$634.76	US
Hutton	132-8	Anritsu	28N50-2	Precision Termination, DC to 18 GHz, 40 dB, N(m), 50 Ohm	\$589.42	US
Hutton	132-8	Anritsu	28NF50-2	Precision Termination, DC to 18 GHz, 40 dB, N(f), 50 Ohm	\$634.76	US
Hutton	132-8	Anritsu	34NFNF50	Precision Adapter, DC to 18 GHz, N(f) - N(f), 50 Ohm	\$389.92	US
Hutton	132-8	Anritsu	34NN50A	Precision Adapter, DC to 18 GHz, N(m)-N(m), 50 Ohm	\$341.18	US
Hutton	132-8	Anritsu	34RKNF50	Precision Ruggedized Adapter, K(m)-N(f), DC to 20 GHz, 50 Ohms	\$362.72	US
Hutton	132-8	Anritsu	34RSN50	Precision Adapter, DC to 20 GHz, 50 Ohm, Ruggedized WSMA(m)-N(m), DC to 20 GHz, 50 Ohm.	\$362.72	US
Hutton	132-8	Anritsu	35CMR112N	Coaxial Adapter, N(m), CMR, 7.05 to 10.00 GHz	\$353.65	US
Hutton	132-8	Anritsu	35CMR137N	Coaxial Adapter, N(m), CMR, 5.85 to 8.20 GHz	\$362.72	US
Hutton	132-8	Anritsu	35CMR159N	Coaxial Adapter, N(m), CMR, 4.90 to 7.05 GHz	\$380.86	US

Hutton Communications, Inc.
2006 GSA Pricelist

Dealer	SIN	Mfr Name	Mfr Part Number	Product Description	GSA Price	Prod Point
Hutton	132-8	Anritsu	35CMR187N	Coaxial Adapter, N(m), CMR, 3.95 to 5.85 GHz	\$426.20	US
Hutton	132-8	Anritsu	35CMR229N	Coaxial Adapter, N(m), CMR, 3.30 to 4.90 GHz	\$480.60	US
Hutton	132-8	Anritsu	35CMR90N	Coaxial Adapter, N(m), CMR, 8.20 to 12.40 GHz	\$344.58	US
Hutton	132-8	Anritsu	35UA112N	Coaxial Adapter, N(m), US, 7.05 to 10.00 GHz	\$353.65	US
Hutton	132-8	Anritsu	35UA137N	Coaxial Adapter, N(m), US, 5.85 to 8.20 GHz	\$362.72	US
Hutton	132-8	Anritsu	35UA159N	Coaxial Adapter, N(m), US, 4.90 to 7.05 GHz	\$380.86	US
Hutton	132-8	Anritsu	35UA187N	Coaxial Adapter, N(m), US, 3.95 to 5.85 GHz	\$426.20	US
Hutton	132-8	Anritsu	35UA229N	Coaxial Adapter, N(m), US, 3.30 to 4.90 GHz	\$480.60	US
Hutton	132-8	Anritsu	35UA42K	Coaxial Adapter, K(m), US, 17.00 to 26.5 GHz	\$453.40	US
Hutton	132-8	Anritsu	35UA62N	Coaxial Adapter, N(m), US, 12.40 to 18.0 GHz	\$326.45	US
Hutton	132-8	Anritsu	35UA75N	Coaxial Adapter, N(m), US, 10.00 to 15.00 GHz	\$335.52	US
Hutton	132-8	Anritsu	35UA90N	Coaxial Adapter, N(m), US, 8.20 to 12.40 GHz	\$370.43	US
Hutton	132-8	Anritsu	35UER100N	Coaxial Adapter, N(m), UER, 8.20 to 12.40 GHz	\$344.58	US
Hutton	132-8	Anritsu	35UER40N	Coaxial Adapter, N(m), UER, 3.30 to 4.90 GHz	\$480.60	US
Hutton	132-8	Anritsu	35UER48N	Coaxial Adapter, N(m), UER, 3.95 to 5.85 GHz	\$426.20	US
Hutton	132-8	Anritsu	35UER58N	Coaxial Adapter, N(m), UER, 4.90 to 7.05 GHz	\$380.86	US
Hutton	132-8	Anritsu	35UER70N	Coaxial Adapter, N(m), UER, 5.85 to 8.20 GHz	\$362.72	US
Hutton	132-8	Anritsu	35UER84N	Coaxial Adapter, N(m), UER, 7.05 to 10.00 GHz	\$353.65	US
Hutton	132-8	Anritsu	35UM100N	Coaxial Adapter, N(m), Metric, 8.20 to 12.40 GHz	\$344.58	US
Hutton	132-8	Anritsu	35UM120N	Coaxial Adapter, N(m), Metric, 10.00 to 15.00 GHz	\$335.52	US
Hutton	132-8	Anritsu	35UM140N	Coaxial Adapter, N(m), Metric, 12.40 to 18.0 GHz	\$326.45	US
Hutton	132-8	Anritsu	35UM220K	Coaxial Adapter, K(m), Metric, 17.00 to 26.5 GHz	\$453.40	US
Hutton	132-8	Anritsu	35UM40N	Coaxial Adapter, N(m), Metric, 3.30 to 4.90 GHz	\$480.60	US
Hutton	132-8	Anritsu	35UM48N	Coaxial Adapter, N(m), Metric, 3.95 to 5.85 GHz	\$426.20	US
Hutton	132-8	Anritsu	35UM58N	Coaxial Adapter, N(m), Metric, 4.90 to 7.05 GHz	\$380.86	US
Hutton	132-8	Anritsu	35UM70N	Coaxial Adapter, N(m), Metric, 5.85 to 8.20 GHz	\$362.72	US
Hutton	132-8	Anritsu	35UM84N	Coaxial Adapter, N(m), Metric, 7.05 to 10.00 GHz	\$353.65	US
Hutton	132-8	Anritsu	40-168	AC/DC Adapter	\$68.78	US
Hutton	132-8	Anritsu	42N50A-30	Attenuator, 30 dB, 50 watt, bi-Directional, DC to 18 GHz, N(m) to N(f)	\$438.66	US
Hutton	132-8	Anritsu	510-102	Adapter, DC to 11 GHz, N(m)-N(m), 90 degrees right angle, 50 Ohm	\$58.56	US
Hutton	132-8	Anritsu	510-90	Adapter, DC to 7.5 GHz, 7/16 (f) - N(m), 50 Ohm	\$185.21	US
Hutton	132-8	Anritsu	510-91	Adapter, DC to 7.5 GHz, 7/16 (f) - N(f), 50 Ohm	\$185.21	US
Hutton	132-8	Anritsu	510-92	Adapter, DC to 3.5 GHz, 50 Ohm, 7/16 (m)-N(m)	\$170.59	US
Hutton	132-8	Anritsu	510-93	Adapter, DC to 3.5 GHz, 50 Ohm, 7/16 (m)-N(f)	\$170.59	US
Hutton	132-8	Anritsu	510-96	Adapter, DC to 7.5 GHz, 7/16 DIN(m) - 7/16 DIN(m), 50 Ohm	\$219.33	US
Hutton	132-8	Anritsu	510-97	Adapter, DC to 7.5 GHz, 7/16 DIN(f)-7/16 DIN(f), 50 Ohm	\$219.33	US
Hutton	132-8	Anritsu	513-62	Adapter, TNC(f) to N(f), 18 GHz, 50 Ohm	\$278.84	US
Hutton	132-8	Anritsu	5400-71N50	Detector, N(m), 50 ohm, 1 to 3000 MHz	\$657.43	US
Hutton	132-8	Anritsu	551-1691	USB to RS232 adapter cable	\$73.11	US
Hutton	132-8	Anritsu	560-7A50	Detector, 10 MHz to 18 GHz, GPC-7, 50 Ohm	\$1,208.31	US
Hutton	132-8	Anritsu	560-7A50	Detector, 10 MHz to 18 GHz, GPC-7, 50 Ohm	\$1,208.31	US
Hutton	132-8	Anritsu	560-7K50	Detector, 10 MHz to 40 GHz, K(m), 50 Ohm	\$1,269.52	US
Hutton	132-8	Anritsu	560-7N50B	Detector, 10 MHz to 20 GHz, N(m), 50 Ohm	\$1,178.84	US
Hutton	132-8	Anritsu	560-7S50-2	Detector, 10 MHz to 26.5 GHz, WSMA(m), 50 Ohm	\$1,161.84	US
Hutton	132-8	Anritsu	560-7S50-2	Detector, 10 MHz to 26.5 GHz, WSMA(m), 50 Ohm	\$1,161.84	US
Hutton	132-8	Anritsu	560-7S50B	Detector, 10 MHz to 20 GHz, WSMA(m), 50 Ohm	\$1,138.60	US
Hutton	132-8	Anritsu	560-7S50B	Detector, 10 MHz to 20 GHz, WSMA(m), 50 Ohm	\$1,138.60	US
Hutton	132-8	Anritsu	560-7VA50	Detector, 10 MHz to 50 GHz, V(m), 50 Ohm	\$2,267.00	US
Hutton	132-8	Anritsu	633-27	Rechargeable Battery, NiMH	\$141.35	US
Hutton	132-8	Anritsu	633-44	Battery, Lithium ION, 11.1v, 6300 mA (MS2721A)	\$297.32	US
Hutton	132-8	Anritsu	70-28	Portable, Lightweight Headset	\$34.12	US
Hutton	132-8	Anritsu	760-213	Transit Case for Microwave Site Master	\$204.03	US
Hutton	132-8	Anritsu	760-235	Transit Case	\$278.84	US
Hutton	132-8	Anritsu	760-235	Transit Case	\$278.84	US
Hutton	132-8	Anritsu	760-235	Transit Case	\$278.84	US
Hutton	132-8	Anritsu	760-235	Transit Case	\$278.84	US
Hutton	132-8	Anritsu	800-109	Detector Extender Cable, 7.6m (25ft.)	\$113.35	US
Hutton	132-8	Anritsu	800-110	Detector Extender Cable, 15.2m (50 ft.)	\$145.09	US
Hutton	132-8	Anritsu	800-111	Detector Extender Cable, 30.5m (100 ft.)	\$208.56	US
Hutton	132-8	Anritsu	800-112	Detector Extender Cable, 61.0m (200 ft.)	\$340.05	US
Hutton	132-8	Anritsu	800-441	Serial Interface Cable	\$48.74	US
Hutton	132-8	Anritsu	806-116	Bantam Plug to BNC	\$57.51	US
Hutton	132-8	Anritsu	806-117	Bantam "Y" Plug to RJ48	\$106.25	US
Hutton	132-8	Anritsu	806-16	Bantam Plug to Bantam Plug	\$24.37	US
Hutton	132-8	Anritsu	806-62	Automotive Cigarette Lighter/12 Volts DC Adapter	\$34.12	US
Hutton	132-8	Anritsu	FCN4760	4.7 to 6.0 GHz Frequency Converter Module (Only for S332D and MS2711D)	\$2,312.34	US
Hutton	132-8	Anritsu	FCN4760	4.7-6.0 GHz Frequency Converter (MS2711D with option 6 only)	\$2,485.77	US
Hutton	132-8	Anritsu	ICN50	InstaCal Calibration Module, 2 MHz to 4.0 GHz, N(m), 50 Ohm	\$584.89	US
Hutton	132-8	Anritsu	MS2711-98	Z540/Guide 25 Calibration	\$376.44	US
Hutton	132-8	Anritsu	MS2711-99	Premium Calibration	\$464.74	US
Hutton	132-8	Anritsu	MS2711B	Handheld Spectrum Analyzer, 100 kHz to 3.0 GHz NOTE: All MS2711B units must be ordered with MS2711B/8 or any additional Options. (See Options below).	\$6,043.83	US

Hutton Communications, Inc.
2006 GSA Pricelist

Dealer	SIN	Mfr Name	Mfr Part Number	Product Description	GSA Price	Prod Point
Hutton	132-8	Anritsu	MS2711B-8-10	Included Option 8 (no charge) and Option 10 (Bias Tee).	\$418.26	US
Hutton	132-8	Anritsu	MS2711B-8-10-20	Includes Option 8 (no charge), Option 10 (Bias Tee), and Option 20 (Tracking Generator)	\$1,900.88	US
Hutton	132-8	Anritsu	MS2711B-8-20	Combines both Option 8 and Option 20 (Built-in Tracking Generator)	\$1,462.22	US
Hutton	132-12	Anritsu	MS2711BES20	Two-year Return to Anritsu Repair for MS2711B	\$608.28	US
Hutton	132-12	Anritsu	MS2711BES30	Three-year Return to Anritsu Repair for MS2711B	\$912.42	US
Hutton	132-12	Anritsu	MS2711BES32	Three Year Return to Anritsu Z540 Cal MS2711B	\$736.96	US
Hutton	132-12	Anritsu	MS2711BES34	Return to Anritsu Premium Cal for MS2711E	\$877.33	US
Hutton	132-12	Anritsu	MS2711BES52	Five-year Return to Anritsu Calibration for MS2711E	\$1,520.71	US
Hutton	132-12	Anritsu	MS2711BES54	Return to Anritsu Premium Cal for MS2711E	\$1,813.15	US
Hutton	132-8	Anritsu	MS2711D	Handheld Spectrum Analyzer, 100 kHz to 3.0 GHz	\$6,190.05	US
Hutton	132-12	Anritsu	MS2711DES25	Two-year Return to Anritsu Repair and Std Cal	\$929.97	US
Hutton	132-12	Anritsu	MS2711DES32	Three-year Return to Anritsu Z540 Cal for MS2711D	\$736.96	US
Hutton	132-12	Anritsu	MS2711DES34	Three-year Return to Anritsu Premium Cal for MS2711E	\$877.33	US
Hutton	132-12	Anritsu	MS2711DES52	Five-year Return to Anritsu Z540 Cal for MS2711D	\$1,520.71	US
Hutton	132-12	Anritsu	MS2711DES54	Five-year Return to Anritsu Premium Cal for MS2711E	\$1,813.15	US
Hutton	132-8	Anritsu	MS271XD-10	Option 10, Built-in Bias Tee	\$418.26	US
Hutton	132-8	Anritsu	MS271XD-21	Option 21, Transmission Measurement	\$1,115.37	US
Hutton	132-8	Anritsu	MS271XD-25	Option 25, Interference Analysis (Software)	\$1,626.57	US
Hutton	132-8	Anritsu	MS271XD-27	Option 27, Channel Scanner (Software)	\$1,673.05	US
Hutton	132-8	Anritsu	MS271XD-28	Option 28, CW Signal Generator (requires external attenuator kit, sold separately, Anritsu Part Number 61534)	\$418.26	US
Hutton	132-8	Anritsu	MS271XD-29	Option 29, Power Meter	\$1,115.37	US
Hutton	132-8	Anritsu	MS271XD-31	Option 31, Built-in GPS Receiver (requires GPS antenna (sold separately, Anritsu Part Number 2000-1410	\$348.55	US
Hutton	132-8	Anritsu	MS271XD-5	Option 5, Power Monitor (requires external detector, sold separately)	\$418.26	US
Hutton	132-8	Anritsu	MS271XD-6	Option 6, Frequency Converter Control Module. MS2711D require Option 6 and FCN4760 module to extend the frequency range from 4.7 GHz to 6 GHz.	\$325.31	US
Hutton	132-8	Anritsu	MS2721-98	Z540/Guide 25 Calibration	\$677.49	US
Hutton	132-8	Anritsu	MS2721-99	Premium Calibration	\$828.59	US
Hutton	132-8	Anritsu	MS2721A	Handheld Spectrum Analyzer, 100 kHz to 7100 MHz	\$12,623.80	US
Hutton	132-12	Anritsu	MS2721AES20	Two-year Return to Anritsu Repair for MS2721A	\$514.70	US
Hutton	132-12	Anritsu	MS2721AES30	Three-year Return to Anritsu Repair for MS2721A	\$772.05	US
Hutton	132-12	Anritsu	MS2721AES32	Three-year Return to Anritsu Z540 Cal for MS2721A	\$736.96	US
Hutton	132-12	Anritsu	MS2721AES34	Three-year Return to Anritsu Premium Cal for MS2721A	\$877.33	US
Hutton	132-12	Anritsu	MS2721AES35	Three-year Return to Anritsu Repair + Z540 Cal for MS2721A	\$1,509.01	US
Hutton	132-12	Anritsu	MS2721AES36	Three-year Return to Anritsu Repair + Premium Cal for MS2721A	\$1,649.38	US
Hutton	132-12	Anritsu	MS2721AES50	Five-year Return to Anritsu Repair for MS2721A	\$1,286.75	US
Hutton	132-12	Anritsu	MS2721AES52	Five-year Return to Anritsu Z540 Cal for MS2721A	\$1,520.71	US
Hutton	132-12	Anritsu	MS2721AES54	Five-year Return to Anritsu Premium Cal for MS2721A	\$1,813.15	US
Hutton	132-12	Anritsu	MS2721AES55	Five-year Return to Anritsu Repair + Z540 Cal for MS2721A	\$2,807.46	US
Hutton	132-12	Anritsu	MS2721AES56	Five-year Return to Anritsu Repair + Premium Cal for MS2721A	\$3,099.90	US
Hutton	132-8	Anritsu	MT8200-10	Option 10, Bias Tee	\$428.46	US
Hutton	132-8	Anritsu	MT8200-21	Option 21, Transmission Measurement	\$1,142.57	US
Hutton	132-8	Anritsu	MT8200-25	Option 25, Interference Analyzer	\$1,666.25	US
Hutton	132-8	Anritsu	MT8200-27	Option 27, Channel Scanner	\$1,713.85	US
Hutton	132-8	Anritsu	MT8200-28	Option 28, CW Signal Generator (Requires CW Signal Generator Kit which can be ordered separately, Anritsu Part Number: 61534)	\$428.46	US
Hutton	132-8	Anritsu	MT8200-31	Option 31, GPS (requires GPS antenna which can be ordered separately. Anritsu Part Number 2000-1410)	\$357.05	US
Hutton	132-8	Anritsu	MT8200-33	Option 33, (requires Options 31 and 43)	\$1,785.26	US
Hutton	132-8	Anritsu	MT8200-34	Option 34, 1xEV-DO Over the Air (OTA) (Requires Options 31 and 63)	\$1,785.26	US
Hutton	132-8	Anritsu	MT8200-40	Option 40, GSM-RF Measurements	\$1,190.18	US
Hutton	132-8	Anritsu	MT8200-42	Option 42, CDMA-RF Measurements	\$1,190.18	US
Hutton	132-8	Anritsu	MT8200-43	Option 43, cdmaOne & cdma2000 1xRTT Demodulator	\$3,237.28	US
Hutton	132-8	Anritsu	MT8200-5	Option 5, Power Monitor (Requires External Detector, sold separately)	\$428.46	US
Hutton	132-8	Anritsu	MT8200-50	Option 50, T1/E1 Analyzer	\$2,380.35	US
Hutton	132-8	Anritsu	MT8200-62	Option 62, 1xEV-DO RF Measurements	\$1,190.18	US
Hutton	132-8	Anritsu	MT8200-63	Option 63, 1xEV-DO Demodulator	\$3,237.28	US
Hutton	132-8	Anritsu	MT8200-98	Z540/Guide 25 Calibration	\$643.38	US
Hutton	132-8	Anritsu	MT8200-99	Premium Calibration	\$779.85	US
Hutton	132-8	Anritsu	MT8212B	Cell Master, 25 MHz to 4000 MHz, Built-in DTF, Built-in Spectrum Analyzer, 100 MHz to 3000 MHz, Built-in Power Meter 4.5 MHz to 3000 MHz.	\$13,282.37	US
Hutton	132-8	Anritsu	MT8220-35	Option 35, WCDMA Over The Air (OTA)	\$1,785.26	US
Hutton	132-8	Anritsu	MT8220-44	Option 44, WCDMA RF Measurements	\$1,190.18	US
Hutton	132-8	Anritsu	MT8220-45	Option 45, WCDMA Demodulator	\$4,713.10	US
Hutton	132-8	Anritsu	MT8220-98	Z540/Guide 25 Calibration	\$661.74	US
Hutton	132-8	Anritsu	MT8220-99	Premium Calibration	\$809.32	US
Hutton	132-8	Anritsu	MT8220A	UMTS Master: WCDMA Signal Analyzer Mode Frequency Range: 824-894 MHz, 1710-2170 and 2300-2700 MHz Spectrum Analyzer Mode Frequency Range: 100 kHz to 7.1 GHz	\$13,282.37	US
Hutton	132-8	Anritsu	OSLN50LF	Precision Open/Short/Load, DC to 4.0 GHz, 42 dB, N(m), 50 Ohm	\$476.07	US
Hutton	132-8	Anritsu	OSLN50LF	Precision Open/Short/Load, DC to 4.0 GHz, 42 dB, N(m), 50 Ohm	\$511.78	US
Hutton	132-8	Anritsu	OSLNF50LF	Precision Open/Short/Load, DC to 4.0 GHz, 42 dB, N(f), 50 Ohm	\$560.52	US
Hutton	132-8	Anritsu	S113C	Site Master, 2 MHz to 1600 MHz, Built-in DTF	\$5,395.47	US
Hutton	132-8	Anritsu	S113C-5	Option 5, RF Watt meter Power Monitor (RF Detector not included)	\$408.06	US

Hutton Communications, Inc.
2006 GSA Pricelist

Dealer	SIN	Mfr Name	Mfr Part Number	Product Description	GSA Price	Prod Point
Hutton	132-8	Anritsu	S114C	Site Master, 2 MHz to 1600 MHz, Built-in DTF, Built-in Spectrum Analyzer 100 kHz to 1600 MHz	\$9,521.41	US
Hutton	132-8	Anritsu	S114C-5	Option 5, RF Watt meter Power Monitor (RF Detector not included)	\$408.06	US
Hutton	132-12	Anritsu	S114CES32	Three-year Return to Anritsu Z540 Cal for S114C	\$587.61	US
Hutton	132-12	Anritsu	S114CES34	Return to Anritsu Premium Cal for S114C	\$750.83	US
Hutton	132-12	Anritsu	S114CES52	Five-year Return to Anritsu Calibration for S114C	\$1,251.39	US
Hutton	132-12	Anritsu	S114CES54	Return to Anritsu Premium Cal for S114C	\$1,523.43	US
Hutton	132-8	Anritsu	S251C	Site Master Two-port, 625 MHz to 2500 MHz, Built in DTF	\$8,886.65	US
Hutton	132-8	Anritsu	S251C-10B	S251C and Option 10B, Bias Tee (Current: 650 mA)	\$9,294.71	US
Hutton	132-8	Anritsu	S251C-5	S251C and Option 5, RF Power Monitor (RF Detector not included)	\$9,294.71	US
Hutton	132-8	Anritsu	S251C-5-10B	S251C and both Option 5, RF Power Monitor and Option 10B, Bias Tee (Current: 650 mA).	\$9,702.77	US
Hutton	132-8	Anritsu	S331D	Site Master, 25 MHz to 4000 MHz, Built-in DTF. NOTE: Model/Option configurations for S331D and S332D can be ordered either as separate line items or as a concatenated string. The sales order will be entered, shipped, and invoiced as the string (e.g., S	\$6,302.27	US
Hutton	132-8	Anritsu	S332D	Site Master, 25 MHz to 4000 MHz, Built-in DTF and built-in spectrum analyzer, 100 kHz to 3000 MHz	\$9,068.01	US
Hutton	132-12	Anritsu	S332DES32	Three-year Return to Anritsu Z540 Cal for S332D	\$587.61	US
Hutton	132-12	Anritsu	S332DES34	Three-year Return to Anritsu Premium Cal for S332E	\$750.83	US
Hutton	132-12	Anritsu	S332DES52	Five-year Return to Anritsu Z540 Cal for S332E	\$1,251.39	US
Hutton	132-12	Anritsu	S332DES54	Five-year Return to Anritsu Premium Cal for S332E	\$1,523.43	US
Hutton	132-8	Anritsu	S33XD-10	Option 10, Built-in Bias Tee (Available for S332D model ONLY)	\$418.26	US
Hutton	132-8	Anritsu	S33XD-21	Option 21, Transmission Measurement (Available for S332D model ONLY)	\$1,115.37	US
Hutton	132-8	Anritsu	S33XD-25	Option 25, Interference Analysis (Software)	\$1,626.57	US
Hutton	132-8	Anritsu	S33XD-27	Option 27, Channel Scanner (Software)	\$1,673.05	US
Hutton	132-8	Anritsu	S33XD-28	Option 28, CW Signal Generator (requires external attenuator kit, sold separately, Anritsu Part Number 61534)	\$418.26	US
Hutton	132-8	Anritsu	S33XD-29	Option 29, Power Meter	\$1,115.37	US
Hutton	132-8	Anritsu	S33XD-31	Option 31, Built-in GPS Receiver (requires GPS antenna, sold separately, Anritsu Part Number 2000-1410)	\$348.55	US
Hutton	132-8	Anritsu	S33XD-5	Option 5, Power Monitor (requires external detector, sold separately)	\$418.26	US
Hutton	132-8	Anritsu	S33XD-50	Option 50, T1/E1 Tester (Available for S331D model ONLY)	\$2,323.68	US
Hutton	132-8	Anritsu	S33XD-6	Option 6, Frequency Converter Control Module (Available for S332D model ONLY). S332D requires Option 6 and FCN4760 module to extend the frequency range from 4.7 GHz to 6 GHz	\$325.31	US
Hutton	132-8	Anritsu	S810D	Broadband Site Master, 25 MHz to 10.5 GHz, Built in DTF, k(f) test port connector	\$12,623.80	US
Hutton	132-8	Anritsu	S820D	Broadband Site Master, 25 MHz to 20 GHz, Built-in DTF, k(f) test port connector	\$19,447.48	US
Hutton	132-8	Anritsu	S8X0D-31	Option 31, GPS Receiver (requires GPS antenna which can be ordered separately. Anritsu Part Number 2000-1410)	\$365.55	US
Hutton	132-8	Anritsu	S8X0D-5	Option 5, Broadband Power Monitor (requires microwave detector which can be ordered separately)	\$438.66	US
Hutton	132-8	Anritsu	SM-98	Z540/Guide 25 Calibration	\$312.85	US
Hutton	132-8	Anritsu	SM-99	Premium Calibration	\$389.92	US
Hutton	132-8	Anritsu	SM-PL	Precision Load, DC to 4 GHz, 42 dB, N(m), 50 Ohm	\$316.81	US
Hutton	132-8	Anritsu	SM-PLNF	Precision Load, DC to 4 GHz, 42 dB, N(f), 50 Ohm	\$341.18	US
Hutton	132-8	Anritsu	HP4-107-P3A	STAMP ANTENNA ID LABEL:	\$3,938.24	US
Hutton	132-8	Anritsu	HP4-74-P3A	STAMP ANTENNA ID LABEL:	\$3,938.24	US
Hutton	132-8	Anritsu	VHP6-180A-111	6 FT. VALULINE ANT. FOR	\$4,084.46	US
Hutton	132-8	Anritsu	VHP6-107-111	VHP6-107 TYPE HIGH PERFORM.	\$4,084.46	US
Hutton	132-8	Anritsu	MT1000-32325	DEHYDRATOR	\$4,425.64	US
Hutton	132-8	Anritsu	P8F-57W-NXA	STAMP ANTENNA ID LABEL:	\$4,484.13	US
Hutton	132-8	Anritsu	PL8-59-PXA	STAMP ANTENNA ID LABEL	\$4,454.89	US
Hutton	132-8	Anritsu	PL8-65-PXA	STAMP ANTENNA ID LABEL	\$4,454.89	US
Hutton	132-8	Anritsu	UHP10-59W-P3A	10 FT. ULTRA HIGH PERFORMANC	\$12,955.24	US
Hutton	132-8	Anritsu	UHP12-59W-P3M	12 FT. ULTRA HIGH PERF. ANT.	\$17,234.66	US